

Material Report

Project: E:\amal1\HASKA DESIGN 2023-A3 LAP - Copy1111.dwg

Alignment: Alignment - CL

Sample Line Group: SL Collection - 1

Start Sta: 0+020.000

End Sta: 1+080.000

	Area Type	Area	Inc.Vol.	Cum.Vol.
		Sq.m.	Cu.m.	Cu.m.
Station: 0+020.000				
	Pavement2	0.32	0.00	0.00
	Base	1.84	0.00	0.00
	SubBase	2.12	0.00	0.00
	Pavement1	0.54	0.00	0.00
	SIDE WALK	0.28	0.00	0.00
	CURB	0.12	0.00	0.00
	Material - (4)	0.54	0.00	0.00
Station: 0+040.000				
	Pavement2	0.32	6.48	6.48
	Base	1.84	36.72	36.72
	SubBase	2.12	42.32	42.32
	Pavement1	0.54	10.80	10.80
	SIDE WALK	0.28	5.60	5.60
	CURB	0.12	2.45	2.45
	Material - (4)	0.54	10.80	10.80
Station: 0+060.000				
	Pavement2	0.32	6.61	13.09
	Base	1.84	37.48	74.20
	SubBase	2.12	43.20	85.52
	Pavement1	0.54	11.02	21.82
	SIDE WALK	0.28	5.71	11.31
	CURB	0.12	2.50	4.95
	Material - (4)	0.54	11.02	21.82
Station: 0+070.000				
	Pavement2	0.32	3.31	16.40
	Base	1.84	18.75	92.95
	SubBase	2.12	21.61	107.13
	Pavement1	0.54	5.51	27.34
	SIDE WALK	0.28	2.86	14.17

	CURB	0.12	1.25	6.20
	Material - (4)	0.54	5.51	27.34
Station: 0+080.000				
	Pavement2	0.32	3.31	19.71
	Base	1.84	18.75	111.70
	SubBase	2.12	21.61	128.73
	Pavement1	0.54	5.51	32.85
	SIDE WALK	0.28	2.86	17.02
	CURB	0.12	1.25	7.45
	Material - (4)	0.54	5.51	32.85
Station: 0+100.000				
	Pavement2	0.32	6.57	26.28
	Base	1.84	37.25	148.94
	SubBase	2.12	42.93	171.66
	Pavement1	0.54	10.95	43.81
	SIDE WALK	0.28	5.68	22.70
	CURB	0.12	2.49	9.94
	Material - (4)	0.54	10.95	43.81
Station: 0+120.000				
	Pavement2	0.32	6.48	32.76
	Base	1.84	36.72	185.66
	SubBase	2.12	42.32	213.98
	Pavement1	0.54	10.80	54.61
	SIDE WALK	0.28	5.60	28.29
	CURB	0.12	2.45	12.39
	Material - (4)	0.54	10.80	54.61
Station: 0+130.000				
	Pavement2	0.32	3.24	36.00
	Base	1.84	18.36	204.02
	SubBase	2.12	21.16	235.14
	Pavement1	0.54	5.40	60.01
	SIDE WALK	0.28	2.80	31.09
	CURB	0.12	1.23	13.62
	Material - (4)	0.54	5.40	60.01
Station: 0+140.000				
	Pavement2	0.32	3.26	39.26
	Base	1.84	18.47	222.49
	SubBase	2.12	21.29	256.43
	Pavement1	0.54	5.43	65.44

	SIDE WALK	0.28	2.81	33.91
	CURB	0.12	1.23	14.85
	Material - (4)	0.54	5.43	65.44
Station: 0+150.000				
	Pavement2	0.32	3.26	42.52
	Base	1.84	18.47	240.96
	SubBase	2.12	21.29	277.72
	Pavement1	0.54	5.43	70.87
	SIDE WALK	0.28	2.81	36.72
	CURB	0.12	1.23	16.08
	Material - (4)	0.54	5.43	70.87
Station: 0+160.000				
	Pavement2	0.32	3.24	45.76
	Base	1.84	18.36	259.32
	SubBase	2.12	21.16	298.88
	Pavement1	0.54	5.40	76.27
	SIDE WALK	0.28	2.80	39.52
	CURB	0.12	1.23	17.31
	Material - (4)	0.54	5.40	76.27
Station: 0+180.000				
	Pavement2	0.32	6.48	52.24
	Base	1.84	36.72	296.04
	SubBase	2.12	42.32	341.20
	Pavement1	0.54	10.80	87.07
	SIDE WALK	0.28	5.60	45.12
	CURB	0.12	2.45	19.76
	Material - (4)	0.54	10.80	87.07
Station: 0+200.000				
	Pavement2	0.32	6.50	58.74
	Base	1.84	36.84	332.88
	SubBase	2.12	42.46	383.65
	Pavement1	0.54	10.83	97.91
	SIDE WALK	0.28	5.61	50.73
	CURB	0.12	2.46	22.22
	Material - (4)	0.54	10.83	97.91
Station: 0+210.000				
	Pavement2	0.32	3.25	62.00
	Base	1.84	18.43	351.31
	SubBase	2.12	21.24	404.90
	Pavement1	0.54	5.42	103.33

	SIDE WALK	0.28	2.81	53.54
	CURB	0.12	1.23	23.45
	Material - (4)	0.54	5.42	103.33
Station: 0+220.000				
	Pavement2	0.32	3.25	65.25
	Base	1.84	18.43	369.74
	SubBase	2.12	21.24	426.14
	Pavement1	0.54	5.42	108.75
	SIDE WALK	0.28	2.81	56.35
	CURB	0.12	1.23	24.68
	Material - (4)	0.54	5.42	108.75
Station: 0+230.000				
	Pavement2	0.32	3.25	68.50
	Base	1.84	18.43	388.18
	SubBase	2.12	21.24	447.39
	Pavement1	0.54	5.42	114.17
	SIDE WALK	0.28	2.81	59.16
	CURB	0.12	1.23	25.91
	Material - (4)	0.54	5.42	114.17
Station: 0+240.000				
	Pavement2	0.32	3.25	71.75
	Base	1.84	18.43	406.61
	SubBase	2.12	21.24	468.63
	Pavement1	0.54	5.42	119.59
	SIDE WALK	0.28	2.81	61.97
	CURB	0.12	1.23	27.14
	Material - (4)	0.54	5.42	119.59
Station: 0+260.000				
	Pavement2	0.32	6.50	78.25
	Base	1.84	36.82	443.43
	SubBase	2.12	42.44	511.07
	Pavement1	0.54	10.83	130.42
	SIDE WALK	0.28	5.61	67.58
	CURB	0.12	2.46	29.59
	Material - (4)	0.54	10.83	130.42
Station: 0+280.000				
	Pavement2	0.32	6.44	84.69
	Base	1.84	36.49	479.92
	SubBase	2.12	42.06	553.13

	Pavement1	0.54	10.73	141.15
	SIDE WALK	0.28	5.56	73.14
	CURB	0.12	2.44	32.03
	Material - (4)	0.54	10.73	141.15
Station: 0+290.000				
	Pavement2	0.32	3.22	87.91
	Base	1.84	18.25	498.17
	SubBase	2.12	21.03	574.16
	Pavement1	0.54	5.37	146.52
	SIDE WALK	0.28	2.78	75.92
	CURB	0.12	1.22	33.25
	Material - (4)	0.54	5.37	146.52
Station: 0+300.000				
	Pavement2	0.32	3.22	91.13
	Base	1.84	18.25	516.42
	SubBase	2.12	21.03	595.19
	Pavement1	0.54	5.37	151.89
	SIDE WALK	0.28	2.78	78.70
	CURB	0.12	1.22	34.47
	Material - (4)	0.54	5.37	151.89
Station: 0+310.000				
	Pavement2	0.32	3.22	94.35
	Base	1.84	18.25	534.66
	SubBase	2.12	21.03	616.22
	Pavement1	0.54	5.37	157.25
	SIDE WALK	0.28	2.78	81.48
	CURB	0.12	1.22	35.68
	Material - (4)	0.54	5.37	157.25
Station: 0+320.000				
	Pavement2	0.32	3.22	97.57
	Base	1.84	18.25	552.91
	SubBase	2.12	21.03	637.25
	Pavement1	0.54	5.37	162.62
	SIDE WALK	0.28	2.78	84.26
	CURB	0.12	1.22	36.90
	Material - (4)	0.54	5.37	162.62
Station: 0+330.000				
	Pavement2	0.32	3.22	100.79
	Base	1.84	18.25	571.16
	SubBase	2.12	21.03	658.28

	Pavement1	0.54	5.37	167.99
	SIDE WALK	0.28	2.78	87.04
	CURB	0.12	1.22	38.12
	Material - (4)	0.54	5.37	167.99
Station: 0+340.000				
	Pavement2	0.32	3.22	104.01
	Base	1.84	18.25	589.40
	SubBase	2.12	21.03	679.31
	Pavement1	0.54	5.37	173.35
	SIDE WALK	0.28	2.78	89.82
	CURB	0.12	1.22	39.34
	Material - (4)	0.54	5.37	173.35
Station: 0+350.000				
	Pavement2	0.32	3.22	107.23
	Base	1.84	18.25	607.65
	SubBase	2.12	21.03	700.34
	Pavement1	0.54	5.37	178.72
	SIDE WALK	0.28	2.78	92.60
	CURB	0.12	1.22	40.55
	Material - (4)	0.54	5.37	178.72
Station: 0+360.000				
	Pavement2	0.32	3.22	110.45
	Base	1.84	18.25	625.90
	SubBase	2.12	21.03	721.37
	Pavement1	0.54	5.37	184.09
	SIDE WALK	0.28	2.78	95.38
	CURB	0.12	1.22	41.77
	Material - (4)	0.54	5.37	184.09
Station: 0+380.000				
	Pavement2	0.32	6.45	116.90
	Base	1.84	36.55	662.45
	SubBase	2.12	42.12	763.49
	Pavement1	0.54	10.75	194.84
	SIDE WALK	0.28	5.57	100.95
	CURB	0.12	2.44	44.21
	Material - (4)	0.54	10.75	194.84
Station: 0+400.000				
	Pavement2	0.32	6.48	123.38
	Base	1.84	36.72	699.17

	SubBase	2.12	42.32	805.81
	Pavement1	0.54	10.80	205.64
	SIDE WALK	0.28	5.60	106.55
	CURB	0.12	2.45	46.66
	Material - (4)	0.54	10.80	205.64
Station: 0+410.000				
	Pavement2	0.32	3.14	126.52
	Base	1.84	17.79	716.96
	SubBase	2.12	20.51	826.32
	Pavement1	0.54	5.23	210.87
	SIDE WALK	0.28	2.71	109.26
	CURB	0.12	1.19	47.85
	Material - (4)	0.54	5.23	210.87
Station: 0+420.000				
	Pavement2	0.32	3.14	129.66
	Base	1.84	17.79	734.75
	SubBase	2.12	20.51	846.83
	Pavement1	0.54	5.23	216.10
	SIDE WALK	0.28	2.71	111.97
	CURB	0.12	1.19	49.04
	Material - (4)	0.54	5.23	216.10
Station: 0+430.000				
	Pavement2	0.32	3.14	132.80
	Base	1.84	17.79	752.55
	SubBase	2.12	20.51	867.33
	Pavement1	0.54	5.23	221.34
	SIDE WALK	0.28	2.71	114.69
	CURB	0.12	1.19	50.22
	Material - (4)	0.54	5.23	221.34
Station: 0+440.000				
	Pavement2	0.32	3.15	135.95
	Base	1.84	17.86	770.41
	SubBase	2.12	20.59	887.92
	Pavement1	0.54	5.25	226.59
	SIDE WALK	0.28	2.72	117.41
	CURB	0.12	1.19	51.42
	Material - (4)	0.54	5.25	226.59
Station: 0+460.000				
	Pavement2	0.32	6.54	142.49
	Base	1.84	37.03	807.44

	SubBase	2.12	42.68	930.60
	Pavement1	0.54	10.89	237.48
	SIDE WALK	0.28	5.64	123.05
	CURB	0.12	2.47	53.89
	Material - (4)	0.54	10.89	237.48
Station: 0+470.000				
	Pavement2	0.32	3.31	145.80
	Base	1.84	18.78	826.22
	SubBase	2.12	21.65	952.25
	Pavement1	0.54	5.52	243.01
	SIDE WALK	0.28	2.86	125.91
	CURB	0.12	1.25	55.14
	Material - (4)	0.54	5.52	243.01
Station: 0+480.000				
	Pavement2	0.32	3.31	149.12
	Base	1.84	18.78	845.00
	SubBase	2.12	21.65	973.90
	Pavement1	0.54	5.52	248.53
	SIDE WALK	0.28	2.86	128.78
	CURB	0.12	1.25	56.40
	Material - (4)	0.54	5.52	248.53
Station: 0+500.000				
	Pavement2	0.32	6.54	155.66
	Base	1.84	37.07	882.07
	SubBase	2.12	42.72	1016.62
	Pavement1	0.54	10.90	259.43
	SIDE WALK	0.28	5.65	134.42
	CURB	0.12	2.47	58.87
	Material - (4)	0.54	10.90	259.43
Station: 0+520.000				
	Pavement2	0.32	6.48	162.14
	Base	1.84	36.72	918.79
	SubBase	2.12	42.32	1058.94
	Pavement1	0.54	10.80	270.23
	SIDE WALK	0.28	5.60	140.02
	CURB	0.12	2.45	61.32
	Material - (4)	0.54	10.80	270.23
Station: 0+540.000				
	Pavement2	0.32	6.48	168.62

	Base	1.84	36.72	955.51
	SubBase	2.12	42.32	1101.26
	Pavement1	0.54	10.80	281.03
	SIDE WALK	0.28	5.60	145.62
	CURB	0.12	2.45	63.77
	Material - (4)	0.54	10.80	281.03
Station: 0+550.000				
	Pavement2	0.32	3.26	171.88
	Base	1.84	18.45	973.96
	SubBase	2.12	21.27	1122.53
	Pavement1	0.54	5.43	286.46
	SIDE WALK	0.28	2.81	148.43
	CURB	0.12	1.23	65.00
	Material - (4)	0.54	5.43	286.46
Station: 0+560.000				
	Pavement2	0.32	3.26	175.13
	Base	1.84	18.45	992.42
	SubBase	2.12	21.27	1143.79
	Pavement1	0.54	5.43	291.89
	SIDE WALK	0.28	2.81	151.24
	CURB	0.12	1.23	66.23
	Material - (4)	0.54	5.43	291.89
Station: 0+570.000				
	Pavement2	0.32	3.26	178.39
	Base	1.84	18.45	1010.87
	SubBase	2.12	21.27	1165.06
	Pavement1	0.54	5.43	297.31
	SIDE WALK	0.28	2.81	154.05
	CURB	0.12	1.23	67.47
	Material - (4)	0.54	5.43	297.31
Station: 0+580.000				
	Pavement2	0.32	3.26	181.64
	Base	1.84	18.45	1029.32
	SubBase	2.12	21.27	1186.33
	Pavement1	0.54	5.43	302.74
	SIDE WALK	0.28	2.81	156.86
	CURB	0.12	1.23	68.70
	Material - (4)	0.54	5.43	302.74
Station: 0+590.000				
	Pavement2	0.32	3.26	184.90

	Base	1.84	18.45	1047.77
	SubBase	2.12	21.27	1207.60
	Pavement1	0.54	5.43	308.17
	SIDE WALK	0.28	2.81	159.68
	CURB	0.12	1.23	69.93
	Material - (4)	0.54	5.43	308.17
Station: 0+600.000				
	Pavement2	0.32	3.22	188.12
	Base	1.84	18.26	1066.03
	SubBase	2.12	21.04	1228.64
	Pavement1	0.54	5.37	313.54
	SIDE WALK	0.28	2.78	162.46
	CURB	0.12	1.22	71.15
	Material - (4)	0.54	5.37	313.54
Station: 0+610.000				
	Pavement2	0.32	3.20	191.32
	Base	1.84	18.11	1084.14
	SubBase	2.12	20.87	1249.51
	Pavement1	0.54	5.33	318.86
	SIDE WALK	0.28	2.76	165.22
	CURB	0.12	1.21	72.36
	Material - (4)	0.54	5.33	318.86
Station: 0+620.000				
	Pavement2	0.32	3.20	194.51
	Base	1.84	18.11	1102.24
	SubBase	2.12	20.87	1270.37
	Pavement1	0.54	5.33	324.19
	SIDE WALK	0.28	2.76	167.98
	CURB	0.12	1.21	73.56
	Material - (4)	0.54	5.33	324.19
Station: 0+630.000				
	Pavement2	0.32	3.20	197.71
	Base	1.84	18.11	1120.35
	SubBase	2.12	20.87	1291.24
	Pavement1	0.54	5.33	329.51
	SIDE WALK	0.28	2.76	170.74
	CURB	0.12	1.21	74.77
	Material - (4)	0.54	5.33	329.51
Station: 0+640.000				

	Pavement2	0.32	3.20	200.90
	Base	1.84	18.11	1138.46
	SubBase	2.12	20.87	1312.11
	Pavement1	0.54	5.33	334.84
	SIDE WALK	0.28	2.76	173.50
	CURB	0.12	1.21	75.98
	Material - (4)	0.54	5.33	334.84
Station: 0+640.000				
	Pavement2	0.32	3.20	200.90
	Base	1.84	18.11	1138.46
	SubBase	2.12	20.87	1312.11
	Pavement1	0.54	5.33	334.84
	SIDE WALK	0.28	2.76	173.50
	CURB	0.12	1.21	75.98
	Material - (4)	0.54	5.33	334.84
Station: 0+650.000				
	Pavement2	0.32	3.20	204.10
	Base	1.84	18.11	1156.56
	SubBase	2.12	20.87	1332.98
	Pavement1	0.54	5.33	340.17
	SIDE WALK	0.28	2.76	176.26
	CURB	0.12	1.21	77.19
	Material - (4)	0.54	5.33	340.17
Station: 0+650.000				
	Pavement2	0.32	3.20	204.10
	Base	1.84	18.11	1156.56
	SubBase	2.12	20.87	1332.98
	Pavement1	0.54	5.33	340.17
	SIDE WALK	0.28	2.76	176.26
	CURB	0.12	1.21	77.19
	Material - (4)	0.54	5.33	340.17
Station: 0+660.000				
	Pavement2	0.32	3.21	207.31
	Base	1.84	18.19	1174.75
	SubBase	2.12	20.96	1353.94
	Pavement1	0.54	5.35	345.51
	SIDE WALK	0.28	2.77	179.03
	CURB	0.12	1.21	78.40
	Material - (4)	0.54	5.35	345.51
Station: 0+660.000				

	Pavement2	0.32	3.21	207.31
	Base	1.84	18.19	1174.75
	SubBase	2.12	20.96	1353.94
	Pavement1	0.54	5.35	345.51
	SIDE WALK	0.28	2.77	179.03
	CURB	0.12	1.21	78.40
	Material - (4)	0.54	5.35	345.51
Station: 0+680.000				
	Pavement2	0.32	6.48	213.79
	Base	1.84	36.72	1211.47
	SubBase	2.12	42.32	1396.26
	Pavement1	0.54	10.80	356.31
	SIDE WALK	0.28	5.60	184.62
	CURB	0.12	2.45	80.85
	Material - (4)	0.54	10.80	356.31
Station: 0+680.000				
	Pavement2	0.32	6.48	213.79
	Base	1.84	36.72	1211.47
	SubBase	2.12	42.32	1396.26
	Pavement1	0.54	10.80	356.31
	SIDE WALK	0.28	5.60	184.62
	CURB	0.12	2.45	80.85
	Material - (4)	0.54	10.80	356.31
Station: 0+700.000				
	Pavement2	0.32	6.48	220.27
	Base	1.84	36.72	1248.19
	SubBase	2.12	42.32	1438.58
	Pavement1	0.54	10.80	367.11
	SIDE WALK	0.28	5.60	190.22
	CURB	0.12	2.45	83.30
	Material - (4)	0.54	10.80	367.11
Station: 0+700.000				
	Pavement2	0.32	6.48	220.27
	Base	1.84	36.72	1248.19
	SubBase	2.12	42.32	1438.58
	Pavement1	0.54	10.80	367.11
	SIDE WALK	0.28	5.60	190.22
	CURB	0.12	2.45	83.30
	Material - (4)	0.54	10.80	367.11

Station: 0+710.000				
	Pavement2	0.32	3.29	223.56
	Base	1.84	18.63	1266.81
	SubBase	2.12	21.47	1460.05
	Pavement1	0.54	5.48	372.59
	SIDE WALK	0.28	2.84	193.06
	CURB	0.12	1.24	84.55
	Material - (4)	0.54	5.48	372.59
Station: 0+710.000				
	Pavement2	0.32	3.29	223.56
	Base	1.84	18.63	1266.81
	SubBase	2.12	21.47	1460.05
	Pavement1	0.54	5.48	372.59
	SIDE WALK	0.28	2.84	193.06
	CURB	0.12	1.24	84.55
	Material - (4)	0.54	5.48	372.59
Station: 0+720.000				
	Pavement2	0.32	3.31	226.87
	Base	1.84	18.78	1285.59
	SubBase	2.12	21.64	1481.69
	Pavement1	0.54	5.52	378.12
	SIDE WALK	0.28	2.86	195.92
	CURB	0.12	1.25	85.80
	Material - (4)	0.54	5.52	378.12
Station: 0+720.000				
	Pavement2	0.32	3.31	226.87
	Base	1.84	18.78	1285.59
	SubBase	2.12	21.64	1481.69
	Pavement1	0.54	5.52	378.12
	SIDE WALK	0.28	2.86	195.92
	CURB	0.12	1.25	85.80
	Material - (4)	0.54	5.52	378.12
Station: 0+730.000				
	Pavement2	0.32	3.31	230.18
	Base	1.84	18.78	1304.37
	SubBase	2.12	21.64	1503.33
	Pavement1	0.54	5.52	383.64
	SIDE WALK	0.28	2.86	198.78
	CURB	0.12	1.25	87.05
	Material - (4)	0.54	5.52	383.64

Station: 0+730.000				
	Pavement2	0.32	3.31	230.18
	Base	1.84	18.78	1304.37
	SubBase	2.12	21.64	1503.33
	Pavement1	0.54	5.52	383.64
	SIDE WALK	0.28	2.86	198.78
	CURB	0.12	1.25	87.05
	Material - (4)	0.54	5.52	383.64
Station: 0+740.000				
	Pavement2	0.32	3.31	233.50
	Base	1.84	18.78	1323.15
	SubBase	2.12	21.64	1524.97
	Pavement1	0.54	5.52	389.16
	SIDE WALK	0.28	2.86	201.64
	CURB	0.12	1.25	88.31
	Material - (4)	0.54	5.52	389.16
Station: 0+740.000				
	Pavement2	0.32	3.31	233.50
	Base	1.84	18.78	1323.15
	SubBase	2.12	21.64	1524.97
	Pavement1	0.54	5.52	389.16
	SIDE WALK	0.28	2.86	201.64
	CURB	0.12	1.25	88.31
	Material - (4)	0.54	5.52	389.16
Station: 0+750.000				
	Pavement2	0.32	3.31	236.81
	Base	1.84	18.78	1341.93
	SubBase	2.12	21.64	1546.62
	Pavement1	0.54	5.52	394.68
	SIDE WALK	0.28	2.86	204.50
	CURB	0.12	1.25	89.56
	Material - (4)	0.54	5.52	394.68
Station: 0+750.000				
	Pavement2	0.32	3.31	236.81
	Base	1.84	18.78	1341.93
	SubBase	2.12	21.64	1546.62
	Pavement1	0.54	5.52	394.68
	SIDE WALK	0.28	2.86	204.50
	CURB	0.12	1.25	89.56

	Material - (4)	0.54	5.52	394.68
Station: 0+760.000				
	Pavement2	0.32	3.28	240.09
	Base	1.84	18.57	1360.49
	SubBase	2.12	21.40	1568.02
	Pavement1	0.54	5.46	400.15
	SIDE WALK	0.28	2.83	207.33
	CURB	0.12	1.24	90.80
	Material - (4)	0.54	5.46	400.15
Station: 0+760.000				
	Pavement2	0.32	3.28	240.09
	Base	1.84	18.57	1360.49
	SubBase	2.12	21.40	1568.02
	Pavement1	0.54	5.46	400.15
	SIDE WALK	0.28	2.83	207.33
	CURB	0.12	1.24	90.80
	Material - (4)	0.54	5.46	400.15
Station: 0+780.000				
	Pavement2	0.32	6.48	246.57
	Base	1.84	36.72	1397.21
	SubBase	2.12	42.32	1610.34
	Pavement1	0.54	10.80	410.95
	SIDE WALK	0.28	5.60	212.93
	CURB	0.12	2.45	93.25
	Material - (4)	0.54	10.80	410.95
Station: 0+780.000				
	Pavement2	0.32	6.48	246.57
	Base	1.84	36.72	1397.21
	SubBase	2.12	42.32	1610.34
	Pavement1	0.54	10.80	410.95
	SIDE WALK	0.28	5.60	212.93
	CURB	0.12	2.45	93.25
	Material - (4)	0.54	10.80	410.95
Station: 0+790.000				
	Pavement2	0.32	3.24	249.81
	Base	1.84	18.36	1415.57
	SubBase	2.12	21.16	1631.50
	Pavement1	0.54	5.40	416.35
	SIDE WALK	0.28	2.80	215.73
	CURB	0.12	1.23	94.48

	Material - (4)	0.54	5.40	416.35
Station: 0+790.000				
	Pavement2	0.32	3.24	249.81
	Base	1.84	18.36	1415.57
	SubBase	2.12	21.16	1631.50
	Pavement1	0.54	5.40	416.35
	SIDE WALK	0.28	2.80	215.73
	CURB	0.12	1.23	94.48
	Material - (4)	0.54	5.40	416.35
Station: 0+800.000				
	Pavement2	0.32	3.24	253.05
	Base	1.84	18.36	1433.93
	SubBase	2.12	21.16	1652.66
	Pavement1	0.54	5.40	421.75
	SIDE WALK	0.28	2.80	218.53
	CURB	0.12	1.23	95.70
	Material - (4)	0.54	5.40	421.75
Station: 0+800.000				
	Pavement2	0.32	3.24	253.05
	Base	1.84	18.36	1433.93
	SubBase	2.12	21.16	1652.66
	Pavement1	0.54	5.40	421.75
	SIDE WALK	0.28	2.80	218.53
	CURB	0.12	1.23	95.70
	Material - (4)	0.54	5.40	421.75
Station: 0+820.000				
	Pavement2	0.32	6.48	259.53
	Base	1.84	36.72	1470.65
	SubBase	2.12	42.32	1694.98
	Pavement1	0.54	10.80	432.55
	SIDE WALK	0.28	5.60	224.12
	CURB	0.12	2.45	98.15
	Material - (4)	0.54	10.80	432.55
Station: 0+820.000				
	Pavement2	0.32	6.48	259.53
	Base	1.84	36.72	1470.65
	SubBase	2.12	42.32	1694.98
	Pavement1	0.54	10.80	432.55
	SIDE WALK	0.28	5.60	224.12

	CURB	0.12	2.45	98.15
	Material - (4)	0.54	10.80	432.55
Station: 0+840.000				
	Pavement2	0.32	6.48	266.01
	Base	1.84	36.72	1507.37
	SubBase	2.12	42.32	1737.30
	Pavement1	0.54	10.80	443.35
	SIDE WALK	0.28	5.60	229.72
	CURB	0.12	2.45	100.60
	Material - (4)	0.54	10.80	443.35
Station: 0+840.000				
	Pavement2	0.32	6.48	266.01
	Base	1.84	36.72	1507.37
	SubBase	2.12	42.32	1737.30
	Pavement1	0.54	10.80	443.35
	SIDE WALK	0.28	5.60	229.72
	CURB	0.12	2.45	100.60
	Material - (4)	0.54	10.80	443.35
Station: 0+860.000				
	Pavement2	0.32	6.48	272.49
	Base	1.84	36.72	1544.09
	SubBase	2.12	42.32	1779.62
	Pavement1	0.54	10.80	454.15
	SIDE WALK	0.28	5.60	235.31
	CURB	0.12	2.45	103.05
	Material - (4)	0.54	10.80	454.15
Station: 0+860.000				
	Pavement2	0.32	6.48	272.49
	Base	1.84	36.72	1544.09
	SubBase	2.12	42.32	1779.62
	Pavement1	0.54	10.80	454.15
	SIDE WALK	0.28	5.60	235.31
	CURB	0.12	2.45	103.05
	Material - (4)	0.54	10.80	454.15
Station: 0+870.000				
	Pavement2	0.32	3.22	275.71
	Base	1.84	18.25	1562.34
	SubBase	2.12	21.03	1800.65
	Pavement1	0.54	5.37	459.51
	SIDE WALK	0.28	2.78	238.10

	CURB	0.12	1.22	104.27
	Material - (4)	0.54	5.37	459.51
Station: 0+870.000				
	Pavement2	0.32	3.22	275.71
	Base	1.84	18.25	1562.34
	SubBase	2.12	21.03	1800.65
	Pavement1	0.54	5.37	459.51
	SIDE WALK	0.28	2.78	238.10
	CURB	0.12	1.22	104.27
	Material - (4)	0.54	5.37	459.51
Station: 0+880.000				
	Pavement2	0.32	3.22	278.93
	Base	1.84	18.25	1580.59
	SubBase	2.12	21.03	1821.68
	Pavement1	0.54	5.37	464.88
	SIDE WALK	0.28	2.78	240.88
	CURB	0.12	1.22	105.49
	Material - (4)	0.54	5.37	464.88
Station: 0+880.000				
	Pavement2	0.32	3.22	278.93
	Base	1.84	18.25	1580.59
	SubBase	2.12	21.03	1821.68
	Pavement1	0.54	5.37	464.88
	SIDE WALK	0.28	2.78	240.88
	CURB	0.12	1.22	105.49
	Material - (4)	0.54	5.37	464.88
Station: 0+890.000				
	Pavement2	0.32	3.22	282.15
	Base	1.84	18.25	1598.84
	SubBase	2.12	21.03	1842.72
	Pavement1	0.54	5.37	470.25
	SIDE WALK	0.28	2.78	243.66
	CURB	0.12	1.22	106.71
	Material - (4)	0.54	5.37	470.25
Station: 0+890.000				
	Pavement2	0.32	3.22	282.15
	Base	1.84	18.25	1598.84
	SubBase	2.12	21.03	1842.72
	Pavement1	0.54	5.37	470.25

	SIDE WALK	0.28	2.78	243.66
	CURB	0.12	1.22	106.71
	Material - (4)	0.54	5.37	470.25
Station: 0+900.000				
	Pavement2	0.32	3.22	285.37
	Base	1.84	18.25	1617.08
	SubBase	2.12	21.03	1863.75
	Pavement1	0.54	5.37	475.61
	SIDE WALK	0.28	2.78	246.44
	CURB	0.12	1.22	107.92
	Material - (4)	0.54	5.37	475.61
Station: 0+900.000				
	Pavement2	0.32	3.22	285.37
	Base	1.84	18.25	1617.08
	SubBase	2.12	21.03	1863.75
	Pavement1	0.54	5.37	475.61
	SIDE WALK	0.28	2.78	246.44
	CURB	0.12	1.22	107.92
	Material - (4)	0.54	5.37	475.61
Station: 0+920.000				
	Pavement2	0.32	6.47	291.83
	Base	1.84	36.64	1653.73
	SubBase	2.12	42.23	1905.98
	Pavement1	0.54	10.78	486.39
	SIDE WALK	0.28	5.58	252.02
	CURB	0.12	2.45	110.37
	Material - (4)	0.54	10.78	486.39
Station: 0+920.000				
	Pavement2	0.32	6.47	291.83
	Base	1.84	36.64	1653.73
	SubBase	2.12	42.23	1905.98
	Pavement1	0.54	10.78	486.39
	SIDE WALK	0.28	5.58	252.02
	CURB	0.12	2.45	110.37
	Material - (4)	0.54	10.78	486.39
Station: 0+940.000				
	Pavement2	0.32	6.48	298.31
	Base	1.84	36.72	1690.45
	SubBase	2.12	42.32	1948.30
	Pavement1	0.54	10.80	497.19

	SIDE WALK	0.28	5.60	257.62
	CURB	0.12	2.45	112.82
	Material - (4)	0.54	10.80	497.19
Station: 0+940.000				
	Pavement2	0.32	6.48	298.31
	Base	1.84	36.72	1690.45
	SubBase	2.12	42.32	1948.30
	Pavement1	0.54	10.80	497.19
	SIDE WALK	0.28	5.60	257.62
	CURB	0.12	2.45	112.82
	Material - (4)	0.54	10.80	497.19
Station: 0+950.000				
	Pavement2	0.32	3.26	301.57
	Base	1.84	18.47	1708.92
	SubBase	2.12	21.28	1969.58
	Pavement1	0.54	5.43	502.62
	SIDE WALK	0.28	2.81	260.43
	CURB	0.12	1.23	114.05
	Material - (4)	0.54	5.43	502.62
Station: 0+950.000				
	Pavement2	0.32	3.26	301.57
	Base	1.84	18.47	1708.92
	SubBase	2.12	21.28	1969.58
	Pavement1	0.54	5.43	502.62
	SIDE WALK	0.28	2.81	260.43
	CURB	0.12	1.23	114.05
	Material - (4)	0.54	5.43	502.62
Station: 0+960.000				
	Pavement2	0.32	3.29	304.86
	Base	1.84	18.62	1727.53
	SubBase	2.12	21.46	1991.04
	Pavement1	0.54	5.48	508.10
	SIDE WALK	0.28	2.84	263.27
	CURB	0.12	1.24	115.30
	Material - (4)	0.54	5.48	508.10
Station: 0+960.000				
	Pavement2	0.32	3.29	304.86
	Base	1.84	18.62	1727.53
	SubBase	2.12	21.46	1991.04

	Pavement1	0.54	5.48	508.10
	SIDE WALK	0.28	2.84	263.27
	CURB	0.12	1.24	115.30
	Material - (4)	0.54	5.48	508.10
Station: 0+970.000				
	Pavement2	0.32	3.29	308.14
	Base	1.84	18.62	1746.15
	SubBase	2.12	21.46	2012.50
	Pavement1	0.54	5.48	513.57
	SIDE WALK	0.28	2.84	266.11
	CURB	0.12	1.24	116.54
	Material - (4)	0.54	5.48	513.57
Station: 0+970.000				
	Pavement2	0.32	3.29	308.14
	Base	1.84	18.62	1746.15
	SubBase	2.12	21.46	2012.50
	Pavement1	0.54	5.48	513.57
	SIDE WALK	0.28	2.84	266.11
	CURB	0.12	1.24	116.54
	Material - (4)	0.54	5.48	513.57
Station: 0+980.000				
	Pavement2	0.32	3.29	311.43
	Base	1.84	18.62	1764.77
	SubBase	2.12	21.46	2033.95
	Pavement1	0.54	5.48	519.05
	SIDE WALK	0.28	2.84	268.94
	CURB	0.12	1.24	117.78
	Material - (4)	0.54	5.48	519.05
Station: 0+980.000				
	Pavement2	0.32	3.29	311.43
	Base	1.84	18.62	1764.77
	SubBase	2.12	21.46	2033.95
	Pavement1	0.54	5.48	519.05
	SIDE WALK	0.28	2.84	268.94
	CURB	0.12	1.24	117.78
	Material - (4)	0.54	5.48	519.05
Station: 0+990.000				
	Pavement2	0.32	3.29	314.71
	Base	1.84	18.62	1783.38
	SubBase	2.12	21.46	2055.41

	Pavement1	0.54	5.48	524.52
	SIDE WALK	0.28	2.84	271.78
	CURB	0.12	1.24	119.02
	Material - (4)	0.54	5.48	524.52
Station: 0+990.000				
	Pavement2	0.32	3.29	314.71
	Base	1.84	18.62	1783.38
	SubBase	2.12	21.46	2055.41
	Pavement1	0.54	5.48	524.52
	SIDE WALK	0.28	2.84	271.78
	CURB	0.12	1.24	119.02
	Material - (4)	0.54	5.48	524.52
Station: 1+000.000				
	Pavement2	0.32	3.29	318.00
	Base	1.84	18.62	1802.00
	SubBase	2.12	21.46	2076.87
	Pavement1	0.54	5.48	530.00
	SIDE WALK	0.28	2.84	274.62
	CURB	0.12	1.24	120.27
	Material - (4)	0.54	5.48	530.00
Station: 1+000.000				
	Pavement2	0.32	3.29	318.00
	Base	1.84	18.62	1802.00
	SubBase	2.12	21.46	2076.87
	Pavement1	0.54	5.48	530.00
	SIDE WALK	0.28	2.84	274.62
	CURB	0.12	1.24	120.27
	Material - (4)	0.54	5.48	530.00
Station: 1+010.000				
	Pavement2	0.32	3.29	321.29
	Base	1.84	18.62	1820.62
	SubBase	2.12	21.46	2098.33
	Pavement1	0.54	5.48	535.48
	SIDE WALK	0.28	2.84	277.46
	CURB	0.12	1.24	121.51
	Material - (4)	0.54	5.48	535.48
Station: 1+010.000				
	Pavement2	0.32	3.29	321.29
	Base	1.84	18.62	1820.62

	SubBase	2.12	21.46	2098.33
	Pavement1	0.54	5.48	535.48
	SIDE WALK	0.28	2.84	277.46
	CURB	0.12	1.24	121.51
	Material - (4)	0.54	5.48	535.48
Station: 1+020.000				
	Pavement2	0.32	3.29	324.57
	Base	1.84	18.62	1839.23
	SubBase	2.12	21.46	2119.78
	Pavement1	0.54	5.48	540.95
	SIDE WALK	0.28	2.84	280.29
	CURB	0.12	1.24	122.75
	Material - (4)	0.54	5.48	540.95
Station: 1+020.000				
	Pavement2	0.32	3.29	324.57
	Base	1.84	18.62	1839.23
	SubBase	2.12	21.46	2119.78
	Pavement1	0.54	5.48	540.95
	SIDE WALK	0.28	2.84	280.29
	CURB	0.12	1.24	122.75
	Material - (4)	0.54	5.48	540.95
Station: 1+040.000				
	Pavement2	0.32	6.55	331.12
	Base	1.84	37.12	1876.35
	SubBase	2.12	42.78	2162.56
	Pavement1	0.54	10.92	551.87
	SIDE WALK	0.28	5.66	285.95
	CURB	0.12	2.48	125.23
	Material - (4)	0.54	10.92	551.87
Station: 1+040.000				
	Pavement2	0.32	6.55	331.12
	Base	1.84	37.12	1876.35
	SubBase	2.12	42.78	2162.56
	Pavement1	0.54	10.92	551.87
	SIDE WALK	0.28	5.66	285.95
	CURB	0.12	2.48	125.23
	Material - (4)	0.54	10.92	551.87
Station: 1+050.000				
	Pavement2	0.32	3.28	334.40
	Base	1.84	18.57	1894.92

	SubBase	2.12	21.40	2183.96
	Pavement1	0.54	5.46	557.33
	SIDE WALK	0.28	2.83	288.78
	CURB	0.12	1.24	126.47
	Material - (4)	0.54	5.46	557.33
Station: 1+050.000				
	Pavement2	0.32	3.28	334.40
	Base	1.84	18.57	1894.92
	SubBase	2.12	21.40	2183.96
	Pavement1	0.54	5.46	557.33
	SIDE WALK	0.28	2.83	288.78
	CURB	0.12	1.24	126.47
	Material - (4)	0.54	5.46	557.33
Station: 1+060.000				
	Pavement2	0.32	3.28	337.67
	Base	1.84	18.57	1913.49
	SubBase	2.12	21.40	2205.36
	Pavement1	0.54	5.46	562.79
	SIDE WALK	0.28	2.83	291.61
	CURB	0.12	1.24	127.71
	Material - (4)	0.54	5.46	562.79
Station: 1+060.000				
	Pavement2	0.32	3.28	337.67
	Base	1.84	18.57	1913.49
	SubBase	2.12	21.40	2205.36
	Pavement1	0.54	5.46	562.79
	SIDE WALK	0.28	2.83	291.61
	CURB	0.12	1.24	127.71
	Material - (4)	0.54	5.46	562.79
Station: 1+070.000				
	Pavement2	0.32	3.28	340.95
	Base	1.84	18.57	1932.05
	SubBase	2.12	21.40	2226.76
	Pavement1	0.54	5.46	568.25
	SIDE WALK	0.28	2.83	294.44
	CURB	0.12	1.24	128.95
	Material - (4)	0.54	5.46	568.25
Station: 1+070.000				
	Pavement2	0.32	3.28	340.95

	Base	1.84	18.57	1932.05
	SubBase	2.12	21.40	2226.76
	Pavement1	0.54	5.46	568.25
	SIDE WALK	0.28	2.83	294.44
	CURB	0.12	1.24	128.95
	Material - (4)	0.54	5.46	568.25
Station: 1+080.000				
	Pavement2	0.32	3.24	344.19
	Base	1.84	18.36	1950.41
	SubBase	2.12	21.16	2247.92
	Pavement1	0.54	5.40	573.65
	SIDE WALK	0.28	2.80	297.24
	CURB	0.12	1.23	130.17
	Material - (4)	0.54	5.40	573.65
Station: 1+080.000				
	Pavement2	0.32	3.24	344.19
	Base	1.84	18.36	1950.41
	SubBase	2.12	21.16	2247.92
	Pavement1	0.54	5.40	573.65
	SIDE WALK	0.28	2.80	297.24
	CURB	0.12	1.23	130.17
	Material - (4)	0.54	5.40	573.65