

# **DESIGNING NXT ROBOT FOR POSITION CONTROL**

## Table of Contents

1	Introduction and Preface .....	1
1.1	Introduction.....	2
1.2	Preface.....	2
1.3	Project objectives .....	3
1.4	Robots background .....	4
1.4.1	The history of robotics .....	4
1.4.2	Inventions Leading to Robotics .....	5
1.4.3	The Birth of the Industrial Robot.....	6
2	Theoretical compnent and subsystem .....	7
2.1	DC Servo Motors .....	8
2.1.1	Ratings and specifications.....	11
2.1.2	Speed, Torque, and Gear Reduction .....	12
2.2	Dynamics of Single-Axis Drive Systems .....	13
2.3	Power Electronic Devices .....	14
2.3.1	Pulse width modulation (PWM) .....	14
2.3.2	The H-bridge and bipolar PWM amplifiers .....	17
2.4	Optical Shaft Encoders .....	18
2.4.1	Basic principle .....	19
2.4.2	Position measurement .....	20
2.5	Fluid used in actuators .....	21
2.5.1	Hydraulic Actuators .....	21
2.5.2	Pneumatic Actuators .....	23
2.6	Common Uses for Digital .....	23
2.6.1	Proximity Sensors .....	24
2.6.2	Limit Switches and Sensors .....	24
2.6.3	Light Curtains .....	24
2.7	Vision.....	25
2.8	Batteries .....	25
2.8.1	Cell Characteristics .....	25
2.8.1.1	Voltage.....	25
2.8.1.2	Capacity .....	26
2.8.1.3	Power density.....	26
2.8.1.4	Internal resistance .....	26
2.8.1.5	Rechargeability .....	26
2.8.2	Battery packs.....	27
2.9	Robot programming languages .....	27
2.9.1	The three levels of robot programming .....	27
2.9.2	A sample application.....	28
2.10	Literature reviews .....	28
3	System design and simulation.....	31
3.1	Structure.....	31
3.1.1	Bricks, plates, and beams .....	34
3.1.1.1	Bricks .....	34
3.1.1.1.1	Dimensions .....	34
3.1.1.2	Plates .....	35
3.1.1.3	Beams.....	35
3.2	Building frame .....	36

3.2.1	Diagonal bracing.....	37
3.3	Gears .....	38
3.3.1	Spur gears.....	38
3.3.1.1	Gear spacing.....	39
3.3.2	Gear ratio .....	41
3.3.3	Torque .....	42
3.3.4	Speed.....	43
3.3.5	Backslash .....	43
3.4	Pulleys.....	44
3.5	Wheels.....	45
3.5.1	Sizes .....	46
3.6	Balance.....	46
3.6.1	Inertia .....	47
3.6.2	Finding the center of gravity .....	47
3.7	Robot drive.....	48
3.7.1	Sensors .....	48
3.7.1.1	Touch sensor .....	49
3.7.1.2	Bumpers .....	49
3.7.1.3	Light sensor .....	50
3.7.1.4	The Robot Encoders.....	51
3.7.1.4	Ultrasonic sensor.....	54
3.7.2	Motors and controlling modes .....	54
3.7.2.1	DC-Servo permanent magnet motor simulation .....	56
3.7.2.2	Speed control .....	57
3.7.2.3	Motor starting.....	59
3.7.2.4	DC Motor Braking. ....	59
3.7.2.4.1	Control modes.....	60
3.7.2.4.2	Mechanical Methode.....	60
3.7.2.4.3	Electronic Methode.....	61
3.7.3	Motor source .....	61
3.7.4	Robot electronics .....	61
3.7.4.1	Programming.....	62
3.8	Table design .....	62
3.9	Conclusion .....	63
3.10	Recommendations .....	64
3.11	Additional results .....	65
	References.....	66

## Table of Figures

Figure 1.1 Picture of welding robot and parallel with robot of packaging chocolates .....	2
Figure 2.1 Construction of DC motor .....	5
Figure 2.2 electric circuit of armature.....	6
Figure 2.3 Torque-speed characteristics and output power .....	7
Figure 2.4 Experiment to measure motor torque .....	9
Figure 2.5 joint axis drive system.....	10
Figure 2.5 two to reducing motor rotor inertia.....	11
Figure 2.6 analogue power amplifier .....	12
Figure 2.7 power loss at the transistor vs.....	12
Figure 2.8 pulse width modulation .....	13
Figure 2.9 current to the motor is smoothed due to inductance.....	13
Figure 2.10 Transient responses of transistor current and voltage .....	14
Figure 2.11 voltage spike induced by inductance .....	15
Figure 2.12 H-bridge and four quadrant control.....	16
Figure 2.13 Basic construction of optical shaft encoder.....	17
Figure 2.14 double track encode for detection of direction of rotation .....	18
Figure 2.15 Up-down counter for an incremental encoder .....	18
Figure 2.16 construction of brushless DC motor and conventional DC motor .....	19
Figure 2.17 T and $\omega$ curve of a brushless DC motor with constant voltage.....	20
Figure 2.18 Two phase stepper motor power sequence.....	23
Figure 2.19 permanent magnet DC brush motor with two poles.....	24
Figure 2.20 Titan 3 servo-hydraulic manipulator .....	26
Figure 2.21 an automated work cell containing an industrial robot .....	31
Figure 3.1 System block diagram .....	32
Figure 3.2 robot flowchart .....	33
Figure 3.3 plastic bricks .....	34
Figure 3.4 three plates = one brick high .....	35
Figure 3.5 simple gear box using Technic plates .....	35
Figure 3.6 technic beams .....	36
Figure 3.7 simple frame .....	36
Figure 3.8 A Tall frame .....	37
Figure 3.9 diagonal cross bracing .....	37
Figure 3.10 spur gears .....	38
Figure 3.11 Horizontal spacing.....	40
Figure 3.12 Vertical spacing .....	40
Figure 3.13 diagonal spacing .....	40
Figure 3.14 Gear ratio .....	41
Figure 3.15 Torque = Force $\times$ Distance .....	42
Figure 3.16 the relation between the speed and the ratio.....	43
Figure 3.17 Backlash caused by poor meshing .....	43
Figure 3.18 Pulleys and belts .....	44
Figure 3.19 Pulleys with different diameters. ....	45
Figure 3.20 robot wheel sizes .....	46

Figure 3.21 An incline moves to effective CG .....	47
Figure 3.22 Finding CG using balance method .....	47
Figure 3.23 wiring a general sensor .....	48
Figure 3.24 bumper coupled to touch sensor .....	49
Figure 3.25 bumper uses rotation sensor .....	49
Figure 3.26 light sensor.....	50
Figure 3.27 Light sensor with infrared emitter and photo transistor .....	50
Figure 3.28 electric circuit of the armature.....	51
Figure 3.29 the permanent magnet DC motor simulation on mat lab .....	52
Figure 3.30 the NXT programmable kit .....	62

## **Table of tables**

Table 1.1 Planning time for the Project Introduction .....	2
Table 1.2 Planning time for the Project .....	29
Table 1.3 Project Balance .....	39
Table 2.1 cell characteristic .....	39
Table 3.1 spur gear sizes .....	39